

**VALVE MANUFACTURER AND
SUPPLIER FOR MEGAPROJECTS**

TABLE OF CONTENT



1 | ABOUT US

2 | OUR VISION & VALUES

3 | AREAS OF APPLICATION

4 | SCOPE OF SUPPLY

5 | VALVE TYPES

6 | REFERENCE PROJECTS

7 | APPROVALS & CERTIFICATES

ABOUT US



With over 25 years of experience, Sejin Europe Valve stands out as a premier valve manufacturer on a global scale.

- By integrating Korean technology with professional expertise, our products consistently deliver the highest levels of trust and quality.
- We have 2 factories in Korea and 1 factory in Turkey.

OUR VISION & VALUES

Company thinking first of human being and nature

Our company endeavor ceaselessly to develop new products and for quality improvement



AREAS OF APPLICATION



**SEWAGE
SYSTEMS**




**OIL AND
GAS**



**POTABLE
WATER**



**IRRIGATION
SYSTEMS**



**INDUSTRIAL
SYSTEMS**



**MARINE AND
OFFSHORE**



**POWER
PLANT**

AREAS OF APPLICATION



**WATER
TRANSMISSION**



**FIRE
FIGHTING
SYSTEM**



**PETROCHEMICAL
INDUSTRY**



**COOLING AND
HEATING
APPLICATIONS**



SHIPYARDS

SCOPE OF SUPPLY



BUTTERFLY VALVES



CHECK VALVES



GATE VALVES



BALL VALVES



CONTROL VALVES



GLOBE VALVES



PISTON VALVES



STEAM TRAPS



AIR RELEASE VALVES



STRAINERS



DISMANTLING JOINTS



**FIREFIGHTING
VALVES**

BUTTERFLY VALVES



- TRIPLE / DOUBLE OFFSET
- DOUBLE/FLANGED ECCENTRIC
- DOUBLE/FLANGED CONCENTRIC
- LUG TYPE
- WAFER TYPE
- SELF CLOSING
- WORM GEAR OPERATED
- PNEUMATIC ACTUATOR OPERATED
- HYDRAULIC ACTUATOR OPERATED
- MOTOR ACTUATOR OPERATED
- LEVER OPERATED

Sizes: DN50-3000

Pressure Class: PN10-40

Material: Ductile Iron, Carbon Steel, Stainless Steel, Aluminum Bronze, Cast Iron

CHECK VALVES



- DUAL DISC/PLATE NON-
- SLAM SWING TYPE
- DOUBLE FLANGED FULL
- FLANGED LUG TYPE
- WAFER TYPE TILTING
- TYPE BUTTERFLY-CHECK
- VALVE BUTT WELDING
- TYPE HUB END TYPE

Sizes: DN50-2000

Pressure Class: PN10-100

Material: Cast Iron, Ductile Iron, Stainless Steel, Carbon Steel, Bronze



GATE VALVES

- RESILIENT SEATED (F4-F5)
- METAL SEATED (F4-F5)
- KNIFE GATE VALVE

Sizes: DN50-2000

Pressure Class: PN10-64

Material: Stainless Steel, Cast iron,
Ductile Iron , Carbon Steel, Bronze



BALL VALVES

- CRYOGENIC
- REDUCED BORE
- FULL BORE GAS
- APPLICATION

Sizes: DN50-1400

Pressure Class: PN10-250

Material: Carbon Steel, Stainless Steel,
Alloy Steel, Cast Iron, Ductile Iron

CONTROL VALVES



- FLOAT LEVEL
- DIFFERENTIAL LEVEL
- QUICK RELIEF
- ON-OFF CONTROL
- AXIAL FLOW CONTROL
- PRESSURE REDUCING
- PUMP CONTROL
- SPEED CONTROLLED

Sizes: DN50-1000

Pressure Class: PN10-160

Material: Stainless Steel, Carbon Steel, Alloy Steel, Cast Iron, Ductile Iron



GLOBE VALVES

- BELLOWS SEALED
- STANDARD GLOBE VALVE

Sizes: DN50-600

Pressure Class: PN16-250

Material: Stainless Steel, Carbon Steel, Alloy Steel, Cast Iron, Ductile Iron



PISTON VALVES

- SINGLE SEATED
- DOUBLE SEATED

Sizes: DN50-200

Pressure Class: PN16-100

Material: Stainless Steel, Carbon Steel, Bronze



STEAM TRAPS

- BI-METALLIC
- THERMOSTATIC
- THERMODYNAMIC

Sizes: DN15-200

Pressure Class: PN16-100

Material: Stainless Steel, Carbon Steel, Alloy Steel



AIR RELEASE VALVES

- SINGLE BALL
- DOUBLE BALL

Sizes: DN25-400

Pressure Class: PN10-40

Material: Ductile Iron, Stainless Steel



STRAINERS

- Y-TYPE
- BASKET TYPE

Sizes: DN80-1200

Pressure Class: PN10-100

Material: Cast Iron, Stainless Steel,
Carbon Steel, Bronze



DISMANTLING JOINTS

- SINGLE FLANGED
- DOUBLE FLANGED

Sizes: DN80-3000

Pressure Class: PN10-40

Material: Ductile Iron, Carbon
Steel, Stainless Steel



FIREFIGHTING VALVES

- OS&Y GATE VALVES
- CHECK VALVES
- PRESSURE RELIEF VALVES
- ZONE CONTROL VALVES
- LANDING VALVES
- AIR RELEASE VALVES
- FLOW METER
- WET ALARM CHECK VALVE
- STRAINER
- PRESSURE GAUGE
- DELUGE VALVE

Sizes: DN50-3000

Pressure Class: 175-500 PSI

Material: Ductile Iron, Cast Iron



***Our valves are UL/FM approved.**





EXPANSION JOINTS

- RUBBER EXPANSION
- SPIGOT TYPE

Sizes: DN80-3000

Pressure Class: PN10-40

Material: Ductile Iron, Carbon Steel,
Stainless Steel, Cast Iron

SOME OF OUR COMPLETED PROJECTS

COUNTRY	END USER	CLIENT	PROJECT NAME
SAUDI ARABIA	ARAMCO	SAMSUNG C&T	Tanajib ISPP project
INDONESIA	Lotte Chemical Co., Ltd.	Hyundai Engineering	LINE Project
GUAM	KEPCO&EWP	Doosan Heavey Ind. Co.,Ltd.	Guam Ukudu combined Cycle Power Plant(WT&WWT)
TAIWAN	TAIWAN POWER COMPANY	Hyundai Engineering	Datan Combined Cycle Expansion Project Unit 7 Add On
OMAN	GS INIMA	VCF	BARKA V IWO - RO DESALINATION PLANT
INDONESIA	PT INDO RAYA TENAGA	EPC Energy Singapore - HK	JAWA 9 & 10 COAL FIRED STEAM POWER PLANT PROJECT
MALAYSIA	PULAU INDAH POWER PLANT SDN BHD	POSCO E&C	PULAU INDAH COMBINED CYCLE POWER PLANT



KOREA	Cheonga Energy Korea Western Power GS Energy	SUNG JIN CONTROL CO., LTD.	Gimpo Combined Heat & Power Plant
USA	U.S Arnold Air Force Base	Water Technology Resources	Jet Engine Combustion
UAE	FUJAIRAH POWER COMPANY	SAMSUNG C&T	Fujairah 3 IPP PROJECT
VIETNAM	Van Phong Power Company Limited	CTCI Corporation	Van Phong 1 BOT Thermal Power Plant Project
BANGLADESH	RELIANCE BANGLADESH LNG & POWER LIMITED	SAMSUNG C&T	Meghnaghat 718MW CCPP
SINGAPORE	EXXON MOBIL	SBM OFFSHORE	LIZA UNITY PHASE 3
SAUDI ARABIA	SWCC	SASAKURA	Construction of MED- TVC unit and Water Production



SINGAPORE	PETRO BRAS	MOWE Marine & Offshore	FPSO ANNA NERY
ITALY	SAIPEM	CDB ENGINEERING	Cooling water side stream filter package
AUSTRALIA	Chevron Australia Pty Ltd	Chevron Australia Pty Ltd	CHEVRON AUSTRALIA PTY LTD
QATAR	QATAR CHEMICAL	QATAR CHEMICAL	Q2 SW DISCHARGE
KUWAIT	KNPC	KNPC(WAA)	MAA DC BUTTERFLY VALVE FOR MPD-II
ALGERIA	Sonelgaz Electricity Production Company (SPE)	SAMSUNG TRD. CONT. CO., LTD	ALGERIA MOSTAGHANEM CCPP
IRAN	MINES & METALTECHNOLOGICAL ENGINEERING CO.	HJ MetalKorea Co., Ltd	KOWSAR GISD MEGA MODULE




MOROCCO	Safi Energy Company	Safi Energy Company / Daewoo E&C	Safi Independent Power Project / Morocco
Kazakhstan	Karabatan Utility Solution LLP	Karabatan Utility Solution LLP / Doosan Heavy Industries & Construction	Karabatan Power Plant
PANAMA	Gas Natural Atlantico S. de R.L	Gas Natural Atlantico S. de R.L / Posco E&C	Panama Colon Power
MALAYSIA	JIMAH EAST POWER SDN BHD	JIMAH EAST POWER SDN BHD./ Hyundai Engineering Co., Ltd.	JIMAH EAST POWER 2 X 1000MW CFPP
ALGERIA	Mostaganem CCPP	SAMSUNG TRD. CONT. CO., LTD	Algeria Mostaganem CCPP 1,450MW and 1,163MW combined-cycle power plant
TURKEY	ACWA	SAMSUNG TRD. CONT. CO., LTD	KIRIKKALE IPP
KENYA	THE KENYA ELECTRICITY GENE.	THE KENYA ELECTRICITY GENE. - HYUNDAI ENGINEERING CO., LTD.	OLKARIA IV GEOTHERMAL POWER PLANT



APPROVALS AND CERTIFICATES



APPROVALS AND CERTIFICATES



TEST CERTIFICATE

ORIGINAL

Certificate No. : B-50/2016-0023/015-02
Page 1 of 1

Date: June 28, 2017

Applicant / Manufacturer : Sejin Valve Ind. Co., Ltd.
24, Nakdongnam-ro 549 beon-gil, Gangseo-gu, Busan, Korea

Date and place of test : May 29 ~ June 12, 2017 at the manufacturer's premises in Busan, Korea

Kind of test : Type Acceptance Testing according to MESC SPE 77/300

Test valve : **Butterfly Valve**
- Triple-Offset, Double Flange, DN 600, Class 300, ASTM A351 CF8M

Applicable drawing : A1800

Test standard : MESC SPE 77/300 December 2012

Test condition :

- Test Sequence No. : 16
- Emission Tightness Class : B
- Test Medium : Helium
- Test Temperature : High/Elevated Temperature : 200°C
Low Temperature : -196°C

Extension of qualification : As per Appendix C of MESC SPE 77/300

" " " " " "

This is to certify that the test was performed by the manufacturer under witness and reviewed the EVADOCS as per MESC SPE 77/300D, and the result was satisfied within acceptance criteria specified in MESC SPE 77/300.

Note
The details of the test condition and data are as per manufacturer's Test Report No. SV-TAT-BF-600300-01, which was verified and endorsed.

This certificate is valid from June 27, 2017 until June 27, 2022.

In accordance with Client's instructions, the Company's involvement has been limited to witnessing/observing a third party's intervention(s) at the third party's laboratory/test house or other facilities and installations used for the intervention(s). The Company's sole responsibility was to be present at the time of the third party's intervention(s) to forward the results, or confirm the occurrence, of the intervention(s). The Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied the qualifications, actions or omissions of the third party's personnel or the analysis results.


This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

" " " " " "

SGS Korea Co., Ltd.
J. J. Kim
Manager, Industrial Division

SHJ/jhs



FUGITIVE EMISSION TEST CERTIFICATE

ORIGINAL

Certificate No. B-50/2016-0023/004-1
Page 1 of 1

Date : 15 June, 2016

Applicant / Manufacturer : Sejin Valve Industrial Co., Ltd.

Date and place of test : 30 May, 2016-2 June, 2016 at the manufacturer's premises in Busan, Korea

Kind of test : Witness of Fugitive Emission Test

Test valve : **Butterfly Valve (ASTM A216 WCB)**
- 10", CL300

Applicable drawing : TOM3B-10BA Rev.0

Test standard : ISO 15848 Part1, 2015 Edition

Test condition :

- Test Medium : Helium
- Test Pressure : 56.0 Bar at Ambient Temperature, 46.0 Bar at 200°C
- Tightness Class : BH
- Mechanical-Cycle Class : 1500 Cycles / CO2
- Number of Thermal Cycles : 3
- Number of Stem Seal Adjustment : 0
- Temperature Class : I200T

Performance Class : ISO FE BH-CO2-I(RT, 200 °C)-CL300-ISO 15848-1

Extension of Qualification : As per Para.8 of ISO 15848-1

" " " " " "

This is to certify that the Fugitive Emission Test was performed by the manufacturer under our witness as above, and the results were satisfied within acceptance criteria specified for the target performance class.

Note
The details of the test condition and data are as per manufacturer's Test Report No. SV-FET-10300-1, which were verified and endorsed by us.


This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

" " " " " "

SGS Korea Co., Ltd.
B. I. Lim
Team Lead, Industrial Division

SHJ/yjp



FUGITIVE EMISSION TEST CERTIFICATE

ORIGINAL

Certificate No. B-50/2016-0023/004-2
Page 1 of 1

Date : 15 June, 2016

Applicant / Manufacturer : Sejin Valve Industrial Co., Ltd.

Date and place of test : 30 May, 2016-3 June, 2016 at the manufacturer's premises in Busan, Korea

Kind of test : Witness of Fugitive Emission Test

Test valve : **Butterfly Valve (ASTM A216 WCB)**
- 24", CL300

Applicable drawing : TOM3B-24BA Rev.0

Test standard : ISO 15848 Part1, 2015 Edition

Test condition :

- Test Medium : Helium
- Test Pressure : 56.0 Bar at Ambient Temperature, 46.0 Bar at 200°C
- Tightness Class : BH
- Mechanical-Cycle Class : 1500 Cycles / CO2
- Number of Thermal Cycles : 3
- Number of Stem Seal Adjustment : 1
- Temperature Class : I200T

Performance Class : ISO FE BH-CO2-SBA1-I(RT, 200 °C)-CL300-ISO 15848-1

Extension of Qualification : As per Para.8 of ISO 15848-1

" " " " " "

This is to certify that the Fugitive Emission Test was performed by the manufacturer under our witness as above, and the results were satisfied within acceptance criteria specified for the target performance class.

Note
The details of the test condition and data are as per manufacturer's Test Report No. SV-FET-24300-1, which were verified and endorsed by us.


This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

" " " " " "

SGS Korea Co., Ltd.
B. I. Lim
Team Lead, Industrial Division

SHJ/yjp



FIRE TEST CERTIFICATE

ORIGINAL

Certificate No. KR-5000-50007040-5
Page 1 of 1

Date: April 05, 2021

Applicant / Manufacturer : Sejin Valve Industrial Co., Ltd.
24, Nakdongnam-ro 549 beon-gil, Gangseo-gu, Busan, Korea

Date and place of test : April 10, 2018 at the Manufacturer's Premises in Busan, Korea

Kind of test : Witness of Fire Test

Test valve : **Butterfly Valve**
- 2", Class 150, ASTM A216 WCB

Design standard : API 609 Category B - 8th Edition, February 2016

Applicable drawing : A0392-15002-CS Rev.0

Test standard : API STANDARD 607 - 7th Edition, June, 2016

" " " " " "

This is to conform that the fire test was performed by the manufacturer under witness, and the results were satisfied with the requirements in API 607, so we hereby confirm that the coverage of the qualification ranges Class150 through Class300 rating with 2" and below through 4" size for the Ferritic Material.

Note
The details of the test condition and data are as per Manufacturer's Test Report No. SV-FST-15002-CS-01 dated 10 April, 2018, which were verified and endorsed by us.

In accordance with Client's instructions, the Company's involvement has been limited to witnessing/observing a third party's intervention(s) at the third party's laboratory/test house or other facilities and installations used for the intervention(s). The Company's sole responsibility was to be present at the time of the third party's intervention(s) to forward the results, or confirm the occurrence, of the intervention(s). The Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied the qualifications, actions or omissions of the third party's personnel or the analysis results.

This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.


Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


" " " " " "


SGS Korea Co., Ltd.
Michael Kang
Business Manager, Industrial Division


SHJ/dsk

APPROVALS AND CERTIFICATES

SGS		FIRE TEST CERTIFICATE	
		Date: April 05, 2021 Certificate No. KR-5000-50007040-2 Page 1 of 1	
Applicant / Manufacturer	: Sejin Valve Industrial Co., Ltd. 24, Nakdongnam-ro 549 beon-gil, Gangseo-gu, Busan, Korea		
Date and place of test	: February 24, 2017 at the Manufacturer's Premises in Busan Korea		
Kind of test	: Witness of Fire Test		
Test valve	: Butterfly Valve - 3", Class 150, ASTM A216 WCB		
Design standard	: API 609 Category B - 8 th Edition, February 2016		
Applicable drawing	: A0392-15003-CS Rev.0		
Test standard	: API STANDARD 607 - 7 th Edition, June, 2016		
<p>This is to conform that the fire test was performed by the manufacturer under witness, and the results were satisfied with the requirements in API 607, so we hereby confirm that the coverage of the qualification ranges Class150 through Class300 rating with 3" through 6" size for the Ferritic Material.</p> <p>Note The details of the test condition and data are as per Manufacturer's Test Report No. SV-FST-15003-CS-01 dated 24 Feb., 2017, which were verified and endorsed by us.</p> <p>In accordance with Client's instructions, the Company's involvement has been limited to witnessing/observing a third party's intervention(s) at the third party's laboratory/test house or other facilities and installations used for the intervention(s). The Company's sole responsibility was to be present at the time of the third party's intervention(s) to forward the results, or confirm the occurrence, of the intervention(s). The Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied the qualifications, actions or omissions of the third party's personnel or the analysis results.</p> <p>This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms-and-conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.</p> <p>Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.</p>			
SHJ/dsk		SGS Korea Co., Ltd.  Michael Kang Business Manager, Industrial Division	

SGS		FIRE TEST CERTIFICATE	
		Date: April 05, 2021 Certificate No. KR-5000-50007040-3 Page 1 of 1	
Applicant / Manufacturer	: Sejin Valve Industrial Co., Ltd. 24, Nakdongnam-ro 549 beon-gil, Gangseo-gu, Busan, Korea		
Date and place of test	: February 24, 2017 at the Manufacturer's Premises in Busan Korea		
Kind of test	: Witness of Fire Test		
Test valve	: Butterfly Valve - 3", Class 150, ASTM A351 CF8M		
Design standard	: API 609 Category B - 8 th Edition, February 2016		
Applicable drawing	: A0392-15003-SS Rev.0		
Test standard	: API STANDARD 607 - 7 th Edition, June, 2016		
<p>This is to conform that the fire test was performed by the manufacturer under witness, and the results were satisfied with the requirements in API 607, so we hereby confirm that the coverage of the qualification ranges Class150 through Class300 rating with 3" through 6" size for the Austenitic Material.</p> <p>Note The details of the test condition and data are as per Manufacturer's Test Report No. SV-FST-15003-SS-01 dated 24 Feb., 2017, which were verified and endorsed by us.</p> <p>In accordance with Client's instructions, the Company's involvement has been limited to witnessing/observing a third party's intervention(s) at the third party's laboratory/test house or other facilities and installations used for the intervention(s). The Company's sole responsibility was to be present at the time of the third party's intervention(s) to forward the results, or confirm the occurrence, of the intervention(s). The Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied the qualifications, actions or omissions of the third party's personnel or the analysis results.</p> <p>This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms-and-conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.</p> <p>Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.</p>			
SHJ/dsk		SGS Korea Co., Ltd.  Michael Kang Business Manager, Industrial Division	

SGS		FIRE TEST CERTIFICATE	
		Date: April 05, 2021 Certificate No. KR-5000-50007040-2 Page 1 of 1	
Applicant / Manufacturer	: Sejin Valve Industrial Co., Ltd. 24, Nakdongnam-ro 549 beon-gil, Gangseo-gu, Busan, Korea		
Date and place of test	: February 23, 2017 at the Manufacturer's Premises in Busan, Korea		
Kind of test	: Witness of Fire Test		
Test valve	: Butterfly Valve - 8", Class 150, ASTM A351 CF8M		
Design standard	: API 609 Category B - 8 th Edition, February 2016		
Applicable drawing	: A0392-15008-SS Rev.0		
Test standard	: API STANDARD 607 - 7 th Edition, June 2016		
<p>This is to conform that the fire test was performed by the manufacturer under witness, and the results were satisfied with the requirements in API 607, so we hereby confirm that the coverage of the qualification ranges Class150 through Class300 rating with 8" and above size for the Austenitic Material.</p> <p>Note The details of the test condition and data are as per Manufacturer's Test Report No. SV-FST-15008-SS-01 dated 23 Feb., 2017, which were verified and endorsed by us.</p> <p>In accordance with Client's instructions, the Company's involvement has been limited to witnessing/observing a third party's intervention(s) at the third party's laboratory/test house or other facilities and installations used for the intervention(s). The Company's sole responsibility was to be present at the time of the third party's intervention(s) to forward the results, or confirm the occurrence, of the intervention(s). The Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied the qualifications, actions or omissions of the third party's personnel or the analysis results.</p> <p>This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms-and-conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.</p> <p>Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.</p>			
SHJ/dsk		SGS Korea Co., Ltd.  Michael Kang Business Manager, Industrial Division	

SGS		FIRE TEST CERTIFICATE	
		Date: April 05, 2021 Certificate No. KR-5000-50007040-3 Page 1 of 1	
Applicant / Manufacturer	: Sejin Valve Industrial Co., Ltd. 24, Nakdongnam-ro 549 beon-gil, Gangseo-gu, Busan, Korea		
Date and place of test	: February 23, 2017 at the Manufacturer's Premises in Busan, Korea		
Kind of test	: Witness of Fire Test		
Test valve	: Butterfly Valve - 8", Class 150, ASTM A216 WCB		
Design standard	: API 609 Category B - 8 th Edition, February 2016		
Applicable drawing	: A0392-15008-CS Rev.0		
Test standard	: API STANDARD 607 - 7 th Edition, June 2016		
<p>This is to conform that the fire test was performed by the manufacturer under witness, and the results were satisfied with the requirements in API 607, so we hereby confirm that the coverage of the qualification ranges Class150 through Class300 rating with 8" and above size for the Ferritic Material.</p> <p>Note The details of the test condition and data are as per Manufacturer's Test Report No. SV-FST-15008-CS-01 dated 23 Feb., 2017, which were verified and endorsed by us.</p> <p>In accordance with Client's instructions, the Company's involvement has been limited to witnessing/observing a third party's intervention(s) at the third party's laboratory/test house or other facilities and installations used for the intervention(s). The Company's sole responsibility was to be present at the time of the third party's intervention(s) to forward the results, or confirm the occurrence, of the intervention(s). The Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied the qualifications, actions or omissions of the third party's personnel or the analysis results.</p> <p>This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms-and-conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.</p> <p>Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.</p>			
SHJ/dsk		SGS Korea Co., Ltd.  Michael Kang Business Manager, Industrial Division	

APPROVALS AND CERTIFICATES



RC APPROVALS



Royal Commission for Jubail and Yanbu
Directorate General of the Royal Commission in Jubail
Construction Department

RC TRANSMITTAL

RE: DOOKHONY, Ashwin

PLEASE ACKNOWLEDGE RECEIPT AND RETURN IMMEDIATELY

DATE: 07-Nov-23

Document Type:
☒ Design Calculation
☒ Material Approval

Code:
DC Technical
CMA Technical

Contract No: 20B-C03

RC Transmittal No: T-124

ATTENTION SUPPLIERS: ALL FINAL DRAWINGS SUBMITTED TO THE ROYAL COMMISSION MUST BE IN GOOD QUALITY MYLAR

Document No.	Rev. No	Description/Title	*Action/Code	Action/Code	Reference
					Trans No Date Received

Subject: Butterfly Valve less than DN750mm (DN300mm & DN500mm) (Alternative)

Discipline :

☐ Civil / Structural ☐ Architectural ☒ Mechanical ☐ Electrical/Instrument/Telecom ☐ General

TECHNICAL SUBMITTALS		NON-TECHNICAL SUBMITTALS	
<input checked="" type="checkbox"/> Material Approval	<input type="checkbox"/> ITP (Inspection and Test Plan)	<input type="checkbox"/> IFC/Final Quantity	
<input type="checkbox"/> Method Statement	<input type="checkbox"/> As Built Drawing	<input type="checkbox"/> CV/Resume	
<input type="checkbox"/> Temporary Work Design	<input type="checkbox"/> Plan	<input type="checkbox"/> Schedule	
<input type="checkbox"/> Shop Drawing	<input type="checkbox"/>	<input type="checkbox"/> Monthly Quality Report	
<input type="checkbox"/> Test Report	<input type="checkbox"/>	<input type="checkbox"/> Organizational Chart	
<input type="checkbox"/> Design Calculation	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> O and M	<input type="checkbox"/> Others: Please Specify	<input type="checkbox"/> Others: Please Specify	

Document No:	Rev No:	Description	Material Submittal	RC CSI Code :
15-021-00	00	Butterfly Valve less than DN750mm (DN300mm & DN500mm) (Alternative)	SEJIN VALVE IND. CO. LTD.	15-07

Check Note: Please complete all the above details and be completed prior to submission to RC.



ROYAL COMMISSION FOR JUBAIL AND YANBU
ROYAL COMMISSION IN JUBAIL
CONSTRUCTION DEPARTMENT

TECHNICAL SUBMITTAL REVIEW - Contractor Copy

Contract No.: 20B-C03

CONTRACTOR SUBMITTAL NO 934 Doc. No: 15-021-00

RC TRANSMITTAL No: _____

TITLE: Butterfly Valve Less than DN750 (DN300mm-DN500mm) (Alternative)

<input type="checkbox"/> 1 Work May Proceed	<input type="checkbox"/> 3 Revise and Resubmit, Work May Not Proceed
<input checked="" type="checkbox"/> 2 Revise and Resubmit, Work May Proceed subject to incorporation of changes and comments	<input type="checkbox"/> 4 Review Not Required
Work:	
<input type="checkbox"/> May Proceed	
<input type="checkbox"/> May Not Proceed	

Note: Permission to proceed does not constitute acceptance or approval of design details, calculation analyses, test methods or materials developed or selected by the supplier does not relieve the contractor from his contractual obligations.

DOOKHONY, Ashwin
Resident Engineer

Ashwin Dookhony
SIGNATURE

DATE

Note:

Comments must be written on the Comments sheet and attached. Comments which can only be possible on the contractor's submittal must be indexed on this form

Document status applies to technical content only. Use of foreign materials, equipment and services is subject to royal commission's approval. Once this technical submittal is given code 1 or 2 status, contractor shall submit vendor approval(with technical submittal package) for royal commission's review. Procurement prior to this approval is done at the contractor's own risk.

APPROVED VENDOR LIST

SEJIN VALVE CO., LTD

#24, 549beon-gil, Nakdongnam-ro, Gangseo-gu, Busan, South Korea


TEL) +82-51-831-7747 // FAX) +82-51-831-7740 // E-mail : sjvalve@korea.com // Web : www.sjvalve.co.kr

Date: 01. JULY. 2024

Subject : Approved vendor list for Overseas – Sejin Valve

1. KNPC(Kuwait National Petroleum Company)
 2. TAKREER(Abu Dhabi Oil Refining Company)
 3. ADNOC(Abu Dhabi National Oil Company)
 4. Q-CHEM(Qatar Chemical Company)
: Approval letter is not issued, only registered in their supplier system.
Vendor Number : 1000195
 5. RGPC(Ras Girtas Power Company)
Approval letter is not issued, only registered in their supplier system.
: Vendor Number : 30001848
 6. CTCI(Taiwan)
Approval letter is not issued, only registered in their supplier system.
: Vendor Number : SCM0011775
 7. SEPCO-3(China)
Approval letter is not issued, only registered in their supplier system.
: Vendor Number : D00147
 8. QATAR ENERGY(Qatar)
Approval letter is not issued, only registered in their supplier system.
: Vendor Number : 1711
 9. PT.IKPT(TOYO Engineering)(Indonesia)
- Please refer to attached approved letters

Best regards,



24, Nakdongnam-ro, 549beon-gil,
Gangseo-gu, Busan, Korea
SEJIN VALVE IND CO., LTD.

APPROVED VENDOR LIST



詢價聯絡人 Inquiry Contact Person	English	Mr. CHOI YOUNG DO	電話 Contact Tel.	+82 51 831 7741	
	Chinese	CHOI YOUNG DO 先生	傳真 Contact Fax		
職稱 Job Title	English	GENERAL MANAGER	部門 Department	English	SALES DEPARTMENT
	Chinese	GENERAL MANAGER		Chinese	SALES DEPARTMENT
公司通訊地址 Office Contact Address	English	24, 549Beon-gil,Nakdongnam-ro, Gangseo-gu, Busan, Korea			
	Chinese	24, 549Beon-gil,Nakdongnam-ro, Gangseo-gu, Busan, Korea			
電子信箱 E-mail Address	sjvalve@korea.com		手機 Mobile Phone	+82 10 9378 7101	

廠商公司印鑑 Company Stamp/Endorsement	廠商負責人印鑑 President Signature/Endorsement	廠商統一發票印鑑 Company invoice stamp/Endorsement

以下由中鼎人員填簽 Below for CTCI Corp. Internal Process		
採購承辦者 Reviewed by buyer	專案採購經理 Reviewed by PPM	採購部門主管 Approved by Dept. Manager
*註1. 採購承辦者(buyer)為採購/發包工程師或工地總務		

APPROVED VENDOR LIST

SEJIN

보낸 사람: Shoeb Nisar <Shoeb.Nisar@rgpc.com.qa>
보낸 날짜: 2020년 1월 30일 목요일 오후 4:15
받는 사람: sjvalve@korea.com
제목: Electronic Payment Advice (E-Advice)

Dear **Sejin Valve Industries Co, Ltd.** Team,

We are pleased to inform you that **Ras Girtas Power Co.** is embarking on a pilot project, to transmit the payment advice in PDF and HTML format through electronic e-mails. The E-Advice is aimed to ensure that the payment received accurately and also minimizes the risk of errors to apply the fund by appointed personnel.

Kindly take a note of the below important requirements to enable smooth transition of receiving e-advice.

1. The e-advice will be e-mailed to a **nominated** e-mail address only.
2. The **nominated** email address preferably be a generic email address e.g accountspayable@abcd.com if not then concern personnel mail address.
3. Kindly ensure that the e-mail can receive attachments of at least 5MB

Please provide the following information for us to proceed in registering your company for e-Advice and further please also provide details in case change to be updated in RGPC system:

Company name: **Sejin Valve Industries Co, Ltd.**
Vendor Number: **30001848 (RGPC Field)**
Nominated e-mail:

In case generic email is not available:

Company name: **Sejin Valve Industries Co, Ltd.**
Vendor Number: **30001848 (RGPC Field)**
Nominated Personal name:
Nominated e-mail:
Telephone:
Mobile:
Fax:

We thank you for your kind understanding and cooperation. For any additional information or assistance, please do not hesitate to contact me directly.

Best regard

Shoeb Nisar Kaskar
Accountant



Ras Girtas Power (RGPC)
Site Off. Tel.: +974 44306824 | Fax No. :+974 44104040
Mobile: +974 662 99700 | P.O.Box. :29299 Doha - Qatar | shoeb.nisar@rgpc.com.qa

RGPC Disclaimer

This message contains confidential information and is intended only for the individual(s) addressed in the message. If you are not the named addressee, you should not disseminate, distribute, or copy this e-mail. If

APPROVED VENDOR LIST



VENDORS & CONTRACTORS EVALUATION COMMITTEE

M/S. SEJIN VALVE IND. CO. LTD.
24, NAMDONGNAM-RO, 549 BEON-GIL
GANGSEO-GU, BUSAN
REPUBLIC OF KOREA

DATE: 16TH DECEMBER 2017
REF: V/C-V.5136-17-2010L
FILE NO: V.5136

SUBJECT: VENDOR APPROVAL

GENTLEMEN,


REFERENCE TO YOUR APPLICATION SUBMITTED ON 14/03/2017 ON THE ABOVE SUBJECT, YOUR COMPANY IS APPROVED AS A VENDOR EFFECTIVE 16/12/2017 FOR THE SUPPLY OF THE FOLLOWING PRODUCT(S) FOR K.N.P.C. REFINERIES:

PRODUCT	DESCRIPTION
16 15	VALVES, BUTTERFLY


THE COMPANY (VENDOR) CODE ALLOCATED TO YOUR COMPANY IS **1003185**.

PLEASE ENSURE TO QUOTE THIS CODE AND ABOVE FILE NO. ON ALL YOUR FUTURE CORRESPONDENCE

VERY TRULY YOURS,


BQ / MF / RAI / mka




OUSAMA H. SHAMMAS
CHAIRMAN, V&CEC

NOTE: APPROVAL VALIDITY IS UPTO 15th DECEMBER 2022

PLEASE REFER OVERLEAF FOR INSTRUCTIONS

APPROVED VENDOR LIST

20-JUN-2011 11:02 FROM PSD TAKREER

TO 96654405

P.01/01



We Refine Right

FACSIMILE MESSAGE

To : M/s. Alsa Technical Supplies & Services - LLC.
Attn.: Mr. Marwan Ayache - General Manager

Fax No.: 6654405
Abu Dhabi

From : Procurement Support Department Manager

Fax No.: 6027442

Abu Dhabi Oil Refining Company (TAKREER)
P.O. Box 3593 - Tel. (9712) 6027000 - Abu Dhabi, U.A.E.

Ref. No. : TKR/5/S/ 954 /FES/2011

Date : 20 JUN 2011

Subject : REGISTRATION & PRE-QUALIFICATION STATUS

This has reference to the Prequalification documents of your Principal M/s. Sejin Valve Ind. Co. Ltd. - South Korea, submitted by you as a *Manufacturer*. Please be informed that based on the evaluation, the above principal has been included in TAKREER records as a possible source for supply of the following product:

➤ **Valves: Butterfly (Flanged & Wafer Type)**

Please note that at the time of release of enquiries, a further short listing takes place based on exhibited interest at that time and the specifics of material / equipment in question as the need may be.

You are advised to quote your Principal's Registration No. 907068 in all future correspondence.

Regards,


Hashim Al Hashemi

RECEIVED
20 JUN 2011

BY:.....

**If you do not receive all the pages,
Please call Telephone: (9712) 6027479**


No. of pages to follow:

Confidentiality Notice: This fax is Confidential. If you are not the intended recipient, please notify us immediately. You should not copy the Fax or use it for any purpose or disclose its contents to any other person. Thank you.

JS. 907068

TOTAL P.01

APPROVED VENDOR LIST



Vendor Qualification Management
(Manufacturer)

Reg.No. 922/M/VQM/2020

Vendor Name : SEJIN VALVE IND.CO.,LTD.

Address : 24, 549beon-gil, Nakdongnam-ro, Gangseo-gu, Busan, Korea

Telephone No. / Fax No. : +82 51 831 7741 +82 51 831 7741

E-mail : sjvalve@korea.com

Contact Person / Title : Younghyuck Bang Director
Youngdo Choi General Manager

Product / Services (Brand) : Butterfly valve, Combined Non-Return valve
Dual-check valve, Non-Slam check valve (Sejin Valve)

Evaluation Period
2020

Valid Thru
30-Jun-2023

Evaluation Category
Pre-qualification

No.	Component Factor	Weight Factor	Obtained Point	Max. Point	Score
1	Financial Strength	20%	333	400	17
2	Service and Response	5%	175	200	4
3	Design and Engineering	10%	328	500	7
4	Procurement	20%	641	900	14
5	Production Facilities	15%	428	600	11
6	Quality Control	10%	900	900	10
7	QA and SHE	10%	147	200	7
8	Information Technology	10%	350	400	9
TOTAL FINAL POINT					79

Note :

a. Item Point is the point for each component factor

b. Final Point = $\frac{\text{Total Item Point}}{\text{Total Item}} \times \text{Weight Factor}$

RESULT :

A = Very Good (90 - 100)

B = Good (76 - 89)

C = Average (60 - 75)

D = Not Acceptable (< 60)

Grade

B
79

PASSED

REMARKS :

Please note this VQM result does not guarantee that IKPT will provide you with an opportunity to bid.

Our Procurement Division will carefully evaluate the project requirements and we reserve the right to make all procurement decisions at our sole discretion.


Evaluated by : Hadi Ismail

Reviewed by : Hadi Ismail

Approved by : Bambang Kuncoro

Date : 16-Nov-2020

IKPT shall carefully evaluate the VQM vendor's data and reserve the right to determine the score at our sole discretion.



**VALVE MANUFACTURER AND
SUPPLIER FOR MEGAPROJECTS**



CONTACT:

Location: Yukarıörükçü, 44600

Akçadağ/Malatya - Türkiye

Phone: +90 541 578 78 59

E-mail: info@sejineurope.com

www.sejineurope.com